

Overlay of Records	
<p>MATCHES</p> <p>OCLC record (number) <i>matches</i> Voyager 035 \$a (OCoLC) number</p>	<ul style="list-style-type: none"> • In OCLC: <ul style="list-style-type: none"> ○ Input 949 field with Voyaged BIB RECORD ID <p style="text-align: center;">949 4780686</p> • In Voyager: <ul style="list-style-type: none"> ○ Verify 035 \$a (OCoLC) number matches OCLC record number ○ Make sure number consists of 8 digits (if not, add leading zeros) <p style="text-align: center;">035 ‡a (OCoLC)00012245</p>
<p>MISMATCHES</p> <p>OCLC record (number) <i>does not match</i> Voyager 035 \$a (OCoLC) number</p>	<ul style="list-style-type: none"> • In OCLC: <ul style="list-style-type: none"> ○ Input 949 field with Voyaged BIB RECORD ID <p style="text-align: center;">949 4780686</p> • In Voyager: <ul style="list-style-type: none"> ○ Replace 035 \$a (OCoLC) with incoming record number ○ Make sure number consists of 8 digits (if not, add leading zeros) <p style="text-align: center;">035 ‡a (OCoLC)51072410</p>
<p>NO OCLC Number in Voyager ADD 035 \$a (OCoLC)</p> <p>Voyager Bib record lacks 035 \$a field</p>	<ul style="list-style-type: none"> • In OCLC: <ul style="list-style-type: none"> ○ Input 949 field with Voyaged BIB RECORD ID <p style="text-align: center;">949 4780686</p> • In Voyager: <ul style="list-style-type: none"> ○ Add 035 \$a (OCoLC) number to bib record ○ Make sure number consists of 8 digits (if not, add leading zeros) <p style="text-align: center;">035 ‡a (OCoLC)04875656</p>

	<p>To add 035 \$a field in Voyager: Click inside the first variable field in the Voyager BIB record Press F3 to insert a line (above the field) Enter 035 field as shown below (include prefix) Add OCLC number after prefix</p> <p>035 ꞑa (OCoLC)12345678</p>
--	---